



职业健康 与个人防护装备产品系列

SATA SAFETY

听力防护 • 呼吸防护 • 手部防护 • 头部防护 • 身体防护 • 足部防护

简介

SATA PPE: Build something real to be the brightest.
实实在在地做事，成为个人防护装备行业出类拔萃的供应商

SATA世达® 职业健康和个人防护装备事业部


世达公司高度重视职业健康和个体防护装备产品的研发和完善。借助母公司艾沛克斯工业集团（Apex）位于巴尔的摩研发中心的技研力量，世达亚太区产品研发中心根据地区市场的特性和客户的需求积极引进并推出一系列符合中国劳动安全防护需求的产品。多年来世达见证并积极推动着中国劳动安全防护水平的提高，竭诚为劳动者的职业健康、社会和谐进步做着不懈努力！

 SATA世达® 隶属于艾沛克斯（APEX）工业集团，深耕大中华区 20 年，目前设备与工具产品年销售额占据中高端市场的大部分份额，大幅领先于第二品牌。SATA（世达）得力于艾沛克斯全球及地区研发中心推出的多项专利产品，20 多年来在推进中国工厂生产效率，为用户创造价值方面做出了卓越贡献，并引领中国工具行业进行了数次升级。目前，在中国汽车工业和其它中高端装备制造业每天有超过 50% 的用户直接或间接使用世达工具。

APEX 艾沛克斯工业集团（APEX GROUP）

- APEX 工具集团是全球领先的集设计，制造和市场运营于一身的著名工业企业，旗下拥有 30 余个著名工具品牌
- APEX 所生产的专业工具在全球范围内受到专业技术人员的青睐
- 总部位于美国巴尔的摩市；36 个著名品牌，全球 40 处制造基地；第一家工厂 Wiss 成立于 1848 年
- 北美巴尔的摩及全球各地区研发中心，每年推出近三百种新产品。Jacobs 发明的钻夹头、Galen Wrench 发明的内六角、SATA 发明的棘轮快扳……已成为现代工业生产非常重要的产品，显著提高了社会生产效率。

APEX HISTORY



为什么选择 SATA世达® PPE ?

1

专业的个体防护产品 PROFESSION

SATA世达® PPE 产品提供从头到脚的全方位防护，产品有口罩、面具、焊接防护产品、听力保护产品、护目镜、防护服、手套、安全鞋等。



2

一站式解决方案 SOLUTION

SATA世达® 有一支经验丰富、训练有素的销售团队为您提供产品服务，从售前开始通过工厂现场的访问、与操作人员的交流、历史纪录分析，识别出各个生产场所潜在的风险，分析风险的级别，提供 EHS 咨询服务、提出改进和防止措施。解决方案包括工作岗位安全风险叙述，确定风险等级，并提出适合的防护产品推荐方案等。

3

职业健康和个体防护产品培训 TRAINING

SATA世达® 专业的 PPE 培训师可为不同岗位的员工提供 EHS 知识、个体防护产品、作业场所安全培训，通过专业的行业经验、现场演示、和员工的互动来提高员工的安全防护意识并最终杜绝伤害的发生。


4

快捷的市场反应 RESPONSE

SATA世达® 产品技研人员深入一线生产场所，倾听用户对安全防护产品的需求和意见，并迅速组织产品研发和测试。基于艾沛克斯 SAP 系统在产品开发、生产管理、仓储和物流配送等环节的先进管理技术可为市场提供更丰富的产品线，从而迅速有效的服务于终端客户，带给客户所期待的创新理念和优质产品。



职业健康和个体防护产品 目录 (Content)



听力防护系列 P5



呼吸防护系列 P7



手部防护系列 P18




头部防护系列 P27



身体防护系列 P30



足部防护系列 P31



听力
防护呼吸
防护手部
防护头部
防护身体
防护足部
防护

正确使用耳塞，给您更安全的听力保护！

听觉损害阈

Hearing Injury Threshold

在 85-90 分贝，也就是说人耳如长时间暴露在 85-90 分贝以上的音压下，对听觉就是有损害的

降噪值

SNR and NRR

隔音耳塞的降噪值有两种国际标准 SNR 和 NRR，其中 SNR 是按照国际标准 ISO 4969-2 检测的单值降噪值；NRR 是按照美国标准 ANSI S3.19-1974 标准检测的单值降噪值。相比来讲，同一种耳塞的 SNR 会比 NRR 高 3 分贝左右

中国国家标准 GB/T12903 -2008 定义：降低噪声评价数 Noise reduction rating (NRR) 作业环境噪声的 C 声级与护耳器佩戴者在该作业环境下暴露声的 A 声级之差值，比如 NRR32 可以理解为平均可以降噪 32 分贝

防护


Protection

听力受损达到一定程度后往往就是不可逆转的损伤，再静养也无法恢复，等于是用来欣赏美好声音的武器永久受损。SATA（世达）一系列高 SNR 值的耳塞产品，在正确使用的情况下可以良好的保护您的听力

GBZ 1-2002 工业企业设计卫生标准规定：

最长暴露时间

声压 (dBA)	可允许的最长暴露时间
85	8 小时
88	4 小时
91	2 小时
94	1 小时
97	30 分钟
100	15 分钟
103	7.5 分钟



我们应用的高品质硅橡胶是一种线型高分子聚合物，是由彼此间的硅原子和氧原子构成，由于硅氧键的键能较高，所以硅橡胶具有很高的热稳定性和无毒无腐蚀性



低压聚氨酯材质耳塞表面光滑、回弹慢、硬度低，因此使用时耳朵没有涨痛感



所有 SATA (世达) 护耳器均完成德国权威声学机构的第三方严苛测试认证

声音强度水平标

强度	150-160 火箭导弹发射
无法忍受	130-140 喷气飞机喷口
痛	120-130 螺旋桨飞机、高射机枪
很吵	110-120 柴油机、球磨机
较吵	100-110 织布机、电锯
较静	90-100 载重汽车、喧嚣马路
安静	70-80 大声说话、较吵的附近
极静	60-70 一般说话
	50-60 普通房间
	30-40 静夜
	20-30 轻声耳语
	10-20 消声 (室内)
	0-10 听觉下限

标准：

- EN352-2: 听力防护通用要求 耳塞
- EN13819-1: 护耳器 测试；物理测试
- EN13819-2: 护耳器 测试；声学测试
- DIN EN ISO 4869-1: 护耳器
- DIN EN ISO 4869-2: 声衰减的主观测量法
- DIN EN ISO 4869-2: 护耳器
- 护耳器损坏



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

耳塞 Earplug



FH0301

SNR
34dB

FH0302

SNR
34dB

FH0303

SNR
28dB

FH0304

SNR
28dB

子弹型 PU 耳塞 (不带线)

Foam Earplugs

- 世达 SS (Super-Soft) 聚氨酯材料制作，回弹慢，自塑性强
- 子弹型设计佩戴舒适，密封隔音效果良好
- 柔软度高，可轻易捏成适合耳道形状，长期使用耳道无胀痛感
- 表面经防污处理，佩戴卫生安全
- 包装：200 副 / 盒，6 盒 / 箱
- SATA Super Soft PU material, slow rebounding and strong self-modeling
- Bullet shape design with comfort and perfect seal effect
- Super softness of material, easy to be shaped in fitting the antrum auris
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Package:200 pcs/box, 6 boxes/ctn

子弹型 PU 耳塞 (带线)

corded foam earplugs

- 世达 SS (Super-Soft) 聚氨酯材料制作，回弹慢，自塑性强
- 子弹型设计佩戴舒适，密封隔音效果良好
- 柔软度高，可轻易捏成适合耳道形状，长期使用耳道无胀痛感
- 表面经防污处理，佩戴卫生安全
- 细绳柔软、不易缠绕，防止耳塞丢失
- 包装：200 副 / 盒，6 盒 / 箱
- SATA Super Soft PU material, slow rebounding and strong self-modeling
- Bullet shape design with comfort and perfect seal effect
- Super softness of material, easy to be shaped in fitting the antrum auris
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Package:200 pcs/box, 6 boxes/ctn

频率 [赫兹] Frequency/HZ	125	250	500	1000	2000	4000	8000
声衰 Sound Attenuation[dB]	30.5	33.3	36.2	36.2	37.9	43.9	45.2
标准偏差 STD. Dev[Db]	6.3	7.9	7.0	6.7	5.1	4.1	4.7

圣诞树型硅胶耳塞 (不带线)

Silicone Earplugs

- 高品质硅胶材料制作，利用耳道温度逐步改变耳塞外形，直到完美贴合耳道
- 符合人体工学的手柄设计，方便佩戴
- 圣诞树型轮廓三层裙边设计，密封良好
- 无需揉搓，使用方便
- 包装：100 副 / 盒，6 盒 / 箱
- Hi-Quality Si-Rubber material, use body heat to adapt to the individual shape of each wearer's each canal
- Ergonomic human engineering compliant handle allowing feasible mounting
- Christmas tree shape with 3 layer ruffle leads to perfect sealing
- Needn't kneading, easy mounting
- Package: 100 pcs/box, 6 boxes/ctn

圣诞树型硅胶耳塞 (带线)

Corded Silicone Earplugs

- 高品质硅胶材料制作，利用耳道温度逐步改变耳塞外形，直到完美贴合耳道
- 符合人体工学的手柄设计，方便佩戴
- 圣诞树型轮廓三层裙边设计，密封良好
- 无需揉搓，使用方便
- 细绳柔软、不易缠绕，防止耳塞丢失
- 包装：100 副 / 盒，6 盒 / 箱
- Hi-Quality Si-Rubber material, use body heat to adapt to the individual shape of each wearer's each canal
- Ergonomic human engineering compliant handle allowing feasible mounting
- Christmas tree shape with 3 layer ruffle leads to perfect sealing
- Needn't kneading, easy mounting
- Soft string prevents earplug from twisting and missing
- Package: 100 pcs/box, 6 boxes/ctn

频率 [赫兹] Frequency/HZ	125	250	500	1000	2000	4000	8000
声衰 Sound Attenuation[dB]	29.6	28.3	30.1	28.8	34.6	38.9	44
标准偏差 STD. Dev[Db]	5.6	6.0	7.8	6.0	3.9	5.6	5.6



口罩 Disposable Mask

自吸过滤式防颗粒物呼吸器标准

国别	标准号	过滤效率分类	过滤效率	防护种类	测试流量
国标 China	GB2626-2019	KN90/KP90	> 90%	KN- 非油性颗粒 KP: 油性颗粒	85L/ 分钟
		KN95/KP95	> 95%		
		KN100/KP100	> 99.97%		
美标 USA	NIOSH 42CFR84	N95/R95/P95	95%	N- 非油性颗粒 R: 非油性油性颗粒物兼防 (时间限制) P: 非油性油性颗粒物	85L/ 分钟
		N99/R99/P99	99%		
		N100/R100/P100	100%		
欧标 EUROPE	EN149	FFP1	≥ 80%	非油性油性颗粒兼防	95L/ 分钟
		FFP2	≥ 94%		
		FFP3	≥ 99%		

熔喷法 (melt — blowing)

在非织造布制造技术上已成为一项重要的工业技术，它是一种将树脂切片或粒料制成纤维网的一步法成布技术。熔喷技术起始于 20 世纪 50 年代初，当时美国海军实验室成功地发明了一种堪称今天熔喷非织造布先驱的工艺，可以生产超细过滤材料。熔喷非织造布具有纤维细、孔隙多而孔隙尺寸小的优点，在过滤、阻菌、吸附、保暖和防水方面性能优异。

防尘口罩的过滤机制：

1. 直接捕获 (布朗运动)

是指随气流运动的较大粉尘粒子被过滤材料的机械筛滤作用截留，或者在流线接近纤维时，粒子与纤维发生接触，被纤维捕获。一般大粒径粒子主要靠直接捕获作用过滤，形状不规则的粒子较球形粒子更易被捕获。粒子直径与过滤纤维的直径的比率影响拦截效率。

2. 惯性沉积

空气中的粒子随气流通过过滤材料网状通道时，其中动量较大的粒子由于惯性作用会偏离流线方向，与纤维发生碰撞而被捕获，并由于分子间的作用力而被截留，这就是惯性沉积。惯性沉积的发生取决于粒子的空气动力学直径，空气动力学直径大的粒子比直径小的粒子更容易撞击到纤维上。对于口罩来讲，气流中的大粒子密度较高、速度较快时惯性沉积作用比较明显。

3. 重力沉积

是指穿过口罩滤料的一些质量相对较大的粒子在运动时，由于重力原因偏离流线方向，沉积到纤维上。

4. 扩散沉积效应

气流中的微粒与不断进行热运动的气体分子碰撞会产生随机的布朗运动，导致细小的粒子作无规则的运动，这种运动会导致粒子与纤维发生随机碰撞，尘埃颗粒因受纤维分子引力作用而被吸附。扩散沉积效应最易捕捉小尺度粒子和低速运动的粒子。

5. 静电吸附

作业环境的空气中浮游粒子多带有正电荷或负电荷。SATA 防尘口罩的过滤层纤维是带有极化电荷的驻极体纤维。当空气中这些带点粒子在经过驻极体附近时，被强烈地吸附在驻极纤维上；而浮游粒子中不带电的粒子会在驻极体形成的电场中因感应而极化，也会被吸附在纤维上。

当过滤材料过滤空气中多分散的微粒时，在几种过滤机理共同作用下，比较小的微粒由于扩散作用而先在纤维上沉积，所以当粒径由小到大时，扩散效率逐渐减弱，比较大的微粒则在拦截和惯性作用下沉积。而 0.3um 粒径左右的颗粒所对应的过滤主要由静电吸附完成。

听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护

口罩

Disposable Mask

- KN95 级高效随弃式防颗粒物呼吸器，佩戴舒适，呼吸阻力低
- 效率高、容尘量大、结构牢固
- 独特加高鼻梁外观设计、可调节鼻夹，加厚海绵垫，确保与面部密合
- 杜邦氨纶（莱卡）松紧带，伸展度高，透气透汗水，对面部皮肤无刺激
- 外层针刺非织造布拦截大粒径粉尘，扩散沉积效应好
- 中间层采用熔喷超细纤维直径 200 纳米 (nm) ，高孔隙率，在保证过滤效率的同时，降低吸气阻力，并提供更高容尘能力
- KN95 level hi-effective particle respirator, mounting comfortable, low breathe-resistance.
- good efficiency , low pressure, high dust holding capacity, firm structure
- Extra higher nasal shape design, adjustable nasal splint allows perfect sealing with face
- Dupont polyurethane fibre elastic with high stretching ventilating and being permeable
- Meltblown nonwovens with micro-fine fiber (OD200nm) allowing high voidage and dust holding capacity



耳戴式 KN95 折叠口罩

KN95 Particulate Respirator


- KN95 级随弃式防颗粒物呼吸器，佩戴舒适，呼吸阻力低
- 可调节鼻夹，海绵鼻垫，确保与面部密合
- 焊接耳带，避免金属打钉对脸部的机械损伤
- 单只独立包装，携带更方便，避免二次污染
- 包装：1 只 / 包，25 包 / 盒，12 盒 / 箱
- KN95 level hi-effective particle respirator, mounting comfortable, low breathe-resistance.
- Adjustable nose clip, sponge nose pad to ensure close contact with face
- Welding head band to avoid mechanical damage to face caused by metal Nailing
- Individual packs, Easy to carry and prevent pollution.
- Package:1pcs/bag,25bag/box,12boxes/ctn



防 PM2.5 口罩 (耳戴式)

ANTI-PM2.5 FOLDING MASK

- KN95 级随弃式防颗粒物呼吸器，佩戴舒适，呼吸阻力低
- 可调节鼻夹，海绵鼻垫，确保与面部密合
- 焊接耳带，避免金属打钉对脸部的机械损伤
- KN95 level hi-effective particle respirator, mounting comfortable, low breathe-resistance.
- Adjustable nose clip, sponge nose pad to ensure close contact with face
- Welding head band to avoid mechanical damage to face caused by metal nailing



一次性防护口罩

Protective Mask

- 单只独立包装
- 柔软舒适，如触无形
- 有效阻隔口鼻污染物和细菌
- Individually package
- Soft and comfortable on skin
- Effectively filter against contaminants and bacteria

听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护

口罩 Disposable Mask



HF0101V



HF0204V



HF0801

防 PM2.5 折叠口罩

KN95 Particulate Respirator, Exhalation Valve

- 可调节鼻夹保证良好鼻部密封，佩戴舒适
- 罩体按亚洲脸形立体裁剪，密闭性更佳
- 驻极静电处理纳米级熔喷布，具备更高的孔隙率，呼吸阻力小，过滤效率高
- 高性能呼气阀，及时排除湿气和腔内 CO₂
- Adjustable nose clip provide better sealing of nose and comfortable wearing
- The mask shape is cut according to Asia face 3-dimensionally to achieve better sealing performance
- Static-electricity conducted nanometer rate Meltblown nonwovens bring higher filtering efficiency and lower breathe resistance
- High efficient breath valve gets ride of moisture and CO₂ in time

自吸过滤式防颗粒物呼吸器 (KN95 折叠带阀口罩)

KN95 Particulate Respirator, Exhalation Valve

- 可调节内置鼻夹保证良好鼻部密封，佩戴舒适，安全性高
- 罩体按亚洲脸形立体裁剪，密闭性更佳
- 海绵鼻垫，更贴合面部，防止泄漏
- 焊接头带，避免金属打钉对脸部的机械损伤
- 高效静电熔喷布，具备更高的孔隙率，呼吸阻力小，过滤效率高
- 带有呼气阀，及时排除湿气和腔内废气
- 包装：25 个 / 盒，12 盒 / 箱

适用行业：轻工业，机械制造，锻造，铸造，石化，制药，煤炭等。HF0204V 适用于潮湿闷热的环境。

建议使用场合：高温、湿热工作环境，或长时间、重体力劳动

有机蒸汽：不适用

油性颗粒物：不适用

应用对象：低毒性粉尘或雾；不建议用于防护烟（如焊烟）或微生物颗粒

- Adjustable non-metal nose clip provide better sealing of nose and comfortable and safe wearing
- The mask shape is cut according to Asia face 3-dimensionally to achieve better sealing performance
- Static-electricity conducted nanometer rate Meltblown nonwovens bring higher filtering efficiency and lower breathe resistance
- High efficient breath valve gets ride of moisture and CO₂ in time

自吸过滤式防颗粒物呼吸器 (KN95/FFP2 杯形口罩)

KN95/FFP2 Particulate Respirator, Exhalation Valve

- 可调节塑料鼻夹保证良好鼻部密封，佩戴舒适，安全性高
- 罩体按亚洲脸形立体裁剪，密闭性更佳
- 泡棉鼻垫，更舒适脸部感受，泄漏更少
- 焊接头带，避免金属打钉对脸部的机械损伤
- 高效静电熔喷布，具备更高的孔隙率，呼吸阻力小，过滤效率高
- 高性能呼气阀，及时排除湿气和腔内 CO₂
- 包装：10 个 / 盒，12 盒 / 箱

建议使用场合：高温、湿热工作环境，或长时间、重体力劳动

有机蒸汽：不适用

油性颗粒物：适用

应用对象：低毒性粉尘或雾；不建议用于防护烟（如焊烟）或微生物颗粒

- Adjustable non-metal nose clip provide better sealing of nose and comfortable and safe wearing
- The mask shape is cut according to Asia face 3-dimensionally to achieve better sealing performance
- Static-electricity conducted nanometer rate Meltblown nonwovens bring higher filtering efficiency and lower breathe resistance
- High efficient breath valve gets ride of moisture and CO₂ in time



听力
防护



呼吸
防护



手部
防护



头部
防护



身体
防护



足部
防护

半面罩

Half Mask

- 椰壳活性炭，物理吸附和化学催化作用俱佳
- 全系高级硅胶材料，舒适无毒
- 圆形滤毒盒，活性炭装填更致密，持久耐用
- 大视窗，宽视野
- 硅胶呼气阀，灵敏度高，密闭性佳
- 驻极体静电滤材，容尘量更大
- 莱卡材料松紧带，更透气透水
- 配备阀盖，保护阀体防止变形



如何选择呼吸防护器材

环境识别：

中国国家标准 GB/T18664 将有害环境的危害程度分成两类： IDLH 环境和非 IDLH 环境

- **IDLH 环境：** 可立即威胁生命和健康的环境，呼吸危害能使在其中没有得到呼吸防护的作业人员致死、或丧失逃生能力，或致残。IDLH 环境由美国国家职业安全和健康机构 NIOSH 于 1970's 首次提出。
- **非 IDLH 环境：** 普通的危害环境就是非立即威胁生命和健康的环境，环境不缺氧，有害物浓度低于 IDLH 浓度，但超过职业卫生标准。对于非 IDLH 环境，我们用危害因数评价危害程度。
- 危害因素 = (空气污染物浓度) / 国家职业卫生标准规定浓度
如果危害因数大于 1，说明作业场所空气污染物浓度超过职业卫生标准，根据《职业病防治法》需要采取职业病防护措施。危害因数越高，说明环境越危险，所选用的呼吸防护产品的 APF 应越高。
APF：指定防护因数（Assigned Protection Factor）GB/T12903 定义为，一种或一类适宜功能的呼吸防护装备，在适合使用者佩戴且正确使用的前提下，预期能将空气污染物浓度降低的倍数（简称危害降低倍数）。一般过滤式半面罩的 APF 是 10 左右。

选择：

IDLH 环境：可用于 IDLH 环境的呼吸防护产品应具有下述特点： A，高 APF，一般在 1000 以上 B，具有已知的或可靠预测的防护时间。中国国家标准 GB/T18664 不允许过滤式防护用品单独用于 IDLH 作业环境。

非 IDLH 环境：标准规定，必须选择 APF 大于危害因数的呼吸防护产品。若同时存在一种以上的空气污染物，应分别计算危害因数，取数值最大的作为该作业场所的危害因数。

如何做负压气密性测试

将手掌盖在面罩的滤棉支架或滤盒上（如图），轻轻吸气，如果面罩有轻微塌陷，并向脸部靠拢，且没有感觉气体从面部及罩体间漏进，则表示佩戴密闭性良好；如感觉有气体漏进，重新调节面罩位置或调整头带以防止漏气，重复上述负压测试直至密闭性良好。

目的：

- 可测试面罩与面部的密合性是否良好
- 可测试是否正确佩戴



SATA 滤毒盒标色 (按照新版国家标准 GB 2890-2009)

过滤件类型	防护气体类型	GB2890-1995 类型	新标准规定的过滤件标色
A	用于防护有机气体或蒸气	3 号	褐
B	无机气体或蒸气	1 号	灰
E	二氧化硫和其他酸性气体或蒸气	7 号	黄
K	氨及氨的有机衍生物	4 号	绿
CO	一氧化碳气体	5 号	白
Hg	防护汞蒸气	6 号	红
H2S	防护硫化氢气体	8 号	蓝

根据空气污染物的种类、颗粒物、有毒气体和蒸气或其组合选择有效过滤元件 --- 颗粒物滤棉、化学滤毒盒或其组合



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

半面罩 Half Mask



FH0408 宽体硅胶防尘半面罩 Silicone Half Mask Respirator

包装：36 个 / 箱

- 宽大过滤面积，容尘能力强，经久耐用，长期使用性价比更高
- Wider filter square allow dust holding capacity, more endurance, higher price quality ratio

- 高品质硅胶材料，舒适耐用、抗老化、防过敏，可清洗
- Hi-quality silicon material, comfort, endurance, anti-allergic, being available of long-term application and cleaning.

- 精密死腔设计 良好的平衡过滤效率和呼吸阻力
- Extra small shape allow extremely wide visual

- 可调节头带减少面罩松动，使产品整体密封性更佳
- Adjustable head hardness and yoke reduce facepiece slippage


- 创新滤盒卡扣设计使滤棉更换便捷轻松
One of the most light product in Half Mask realm, innovation of filter box lead to feasibility of change of filter cotton.

- 低轮廓设计无碍视野
Below breathe valve comply with man-machine engineering.
- 下方呼吸阀，更符合人体工学

- 配合驻极体静电滤棉，提供更大容尘量，更低的呼吸阻力
Adapt with SATA static filter provide high dust holding capacity and lower breathe-resistance.



FH0408 组件



KN95



KN95

FH0409 防尘滤棉 (大号) KN95 Particulate Filter (L)

- 用于各类非油性颗粒物，达到 KN95 级
- 不得单独使用，须与 HF0408 配合使用
- 包装：600 片 / 箱
- Applied for filtering non-oil dust, achieve KN95 performance
- Shall be working together HF0408
- Package: 600 pcs/ctn

AFH0409 焊接专用滤棉 (大) KN95 Particulate Filter (L)

- 用于各类非油性颗粒物，达到 KN95 级
- 不得单独使用，须与 HF0408 配合使用
- 包装：600 片 / 箱
- Applied for filtering non-oil dust, achieve KN95 performance
- Shall be working together HF0408
- Package: 600 pcs/ctn

半面罩 Half Mask

听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

HF0414 双滤盒四阀半面罩 Silicone Half Mask Respirator

包装：36 个 / 箱



- 合理死腔设计较好的平衡了过滤效率和呼吸阻力
Reasonable space design well balance the breathe-efficiency and resistance
- 双盒设计，呼吸阻力小
Double cartridges design , lower breathe-resistance
- 低轮廓设计，使用者视野广阔
Low shape design, wider visual for user
- 产品获得中国 LA 认证，密闭和防护性能优





听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

半面罩 Half Mask



HF0414 组件

活性炭盒

- 更大直径圆盒，装填更多活性炭，防护时间更久
- 优质椰壳活性碳，高密度微孔和中孔，比表面积大，气相吸附能力强
- 活性碳层经高温改性，大幅减少含氧基团，疏水性更佳（更低亲水性），大幅提高吸附能力
- 活性碳在化学物中浸渍充分（金属氧化物），具备良好化学分解、催化和吸附作用
- 圆形设计，气流速度快，呼吸阻力小
- 适用于防苯及其同系物、汽油、丙酮、二氧化硫、醚等有机气体
- Advanced OD cartridges, input more active carbon, longer protection period
- Quality coconut-shell active carbon, High density micropore & middlepore, large Surface Area, high Gas phase adsorption ability
- High temperature modification, reduce Oxygen containing groups, better hydrophobicity, super adsorptive capacity
- Sufficient immersion in chemical material, having better chemical decomposition and absorption ability
- Round shape, quicker air flow and lower breathe-resistance
- Used for protection against organic gas such as benzene and its derivatives, gasoline, acetone, carbon disulfide, ether, etc.



HF0415



HF0416



HF0417

品号 (Item No)	品名 (item name)
HF0415	P-A-1 滤毒盒 (大号) P-A-1 Organic Vapors Cartridge (L)
HF0416	P-K-1 滤毒盒 (大号) P-K-1 Ammonia Methylamine Cartridge (L)
HF0417	P-E-1 滤毒盒 (大号) P-E-1 Acidic Gas Cartridge (L)

HF0418 KN95 颗粒物防护棉 (大号) Particulate Filter (L)



- 颗粒物预过滤棉为用户提供颗粒物过滤防护，并延长滤毒盒使用寿命。
- 包装：240 片 / 箱
- Dust pre-filter cotton provide customer's the protection against dust and prolong the life of Cartridge.
- Package: 240 pcs/ctn



HF0419 滤棉盖 (大号) Filter Retainer (L)

- ABS 材质
- 将 HF0418 预过滤棉固定于滤毒盒上
- 包装：100 个 / 箱
- ABS Material
- Fix the HF0418 onto the Anti-Toxic Filter Cartridge
- Package: 100 pcs/ctn

HF0420 双滤盒喷漆防护组套 Silicone Half Mask Respirator Set, Organic Vapor

包装：20 套 / 箱



2个



2片



2个

半面罩 Half Mask



FH0601

硅胶防尘毒面罩主体（单盒） Silicone Reusable Half Mask Respirator

- 专为亚洲人脸型设计，贴合面部，密合性好
- 人性化头带设计，方便与安全帽组合佩戴，方便快捷
- 防尘滤毒自由切换，从容应对复杂工况
- 液态硅质材料，提升舒适性和耐用性
- 底部呼气阀具有排水作用，避免二次污染
- Designed for Asian face shape, it fits the face and has good tightness
- Humanized headband design, convenient and hard hat combination, convenient and fast
- It can be used with Cartridges & Filters according to working conditions
- Siliceous material, improving comfort and durability
- The bottom breathing valve has the function of drainage to avoid secondary pollution.



FH0602

P-A-1 滤毒盒（防有机气体） P-A-1 Organic Vapors Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性更好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0601 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0601



FH0603

P-K-1 滤毒盒（防氨及有机氮衍生物） P-K-1 Ammonia Methylamine Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性更好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0601 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0601



FH0604

P-E-1 滤毒盒（防酸性及有机气体） P-E-1 Acidic Gas Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性更好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0601 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0601



FH0607

预过滤棉 Particulate Filter

- 可用于含有某些非油性颗粒物的环境
- 配合世达 FH0608 滤棉盖使用
- 减少吸入颗粒物
- 滤棉可更换，节约成本
- It can be used in the environment containing certain non-oil particles
- Cooperate with skadar FH0608
- Reduce particulate matter
- Replaceable filter, saving the cost



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

半面罩 Half Mask



FH0608

滤棉盖 Filter Retainer

- PP 材质 固定世达 FH0607 滤棉和 FH0707 滤棉
- 该配件与世达 FH0601 系列、世达 FH0701 系列面罩、滤棉及滤毒盒配合使用
- PP material, used for fixed SATA FH0607 filter and FH0707 filter
- The accessories are used in conjunction with SATA FH0601 series, SATA FH0701 series half face mask, filter and Cartridges



FH0609

KN95 滤棉

KN95 Particulate Filter

- GB2626-2019 的 KN95 系列检测标准
- 充分过滤各种非油性颗粒物污染物
- 与 SATA FH0610 配合使用
- Exceptional 95% filter efficiency meets GB2626-2019 series test criteria
- Used for environments containing certain non-oil based particles
- Cooperate with SATA FH0610



FH0609L

KN95 滤棉 - 长效型

KN95 Particulate Filter(L)

- GB2626-2019 的 KN95 系列检测标准
- 充分过滤各种非油性颗粒物污染物
- 与 SATA FH0610 配合使用
- 六层过滤，使用寿命更长
- Exceptional 95% filter efficiency meets GB2626-2019 series test criteria
- Used for environments containing certain non-oil based particles
- Cooperate with SATA FH0610
- Six layer filtration, longer service life



FH0610

防尘呼吸组套

Silicone Reusable Half Mask Respirator Set

- 专为亚洲人脸型设计，贴合面部，密合性好
- 高效静电滤棉，呼吸阻力低
- 人性化头带设计，方便与安全帽组合佩戴，方便快捷
- 六角形格栅进气口；进气通畅，防止火花和湿气进入，有效延长滤棉使用寿命
- Designed for Asian face shape, fully fits the face and has good tightness
- Exceptional 95% filter efficiency meets GB2626-2019 series test criteria
- Humanized headband design, convenient and hard hat combination, convenient and fast
- Hexagonal grating air inlet; The inlet air is unobvious to prevent spark and moisture from entering, which can effectively prolong the service life of filter cotton



FH0701

硅胶防尘毒面罩主体（双盒）

Silicone Reusable Half mask Respirator

- 专为亚洲人脸型设计，贴合面部，密合性好
- 人性化头带设计，方便与安全帽组合佩戴，方便快捷
- 防尘滤毒自由切换，从容应对复杂工况
- 液态硅质材料，提升舒适性和耐用性
- 底部呼气阀具有排水作用，避免二次污染
- Designed for Asian face shape, it fits the face and has good tightness
- Humanized headband design, convenient and hard hat combination, convenient and fast
- Liquid siliceous material, improving comfort and durability
- Liquid silicon material for comfort and durability
- The bottom breathing valve has the function of drainage to avoid secondary pollution.



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

半面罩 Half Mask



FH0702

P-A-1 滤毒盒 (防有机气体)

P-A-1 Organic Vapors Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性更好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0701 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0701



FH0703

P-K-1 滤毒盒 (防氨及有机氮衍生物)

P-K-1 Ammonia Methylamine Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性更好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0701 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0701



FH0704

P-E-1 滤毒盒 (防酸性及有机气体)

P-E-1 Acidic Gas Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性更好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0701 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0701



FH0705

ABEK 多功能滤盒

Multi Purpose Gas / Vapor Cartridge

- 优质椰壳碳原料，稳定耐用，吸附性好
- 圆形滤毒盒视野更清晰
- 15°旋转卡扣，轻松快速衔接面罩
- 与 SATA FH0701 配合使用
- High-quality coconut shell carbon raw material, stable and durable, good adsorption performance
- The circular Cartridge clearer view
- 15° rotary clasp, easy and fast connection mask
- Use with SATA FH0701



FH0707

预过滤棉

Particulate Filter

- 可用于含有某些非油性颗粒物的环境
- 配合世达 FH0608 使用
- 减少吸入颗粒物
- 滤棉可更换，节约成本
- It can be used in the environment containing certain non-oil particles
- Cooperate with SATA FH0608
- Reduce particulate matter
- Replaceable filter , saving the cost



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

半面罩 Half Mask



FH0708

KN100 防非油性颗粒物滤棉

Particulate Filter KN100

- 高达 99.97% 的过滤效率达到了 GB2626-2019 的 KN100 系列检测标准
- 充分过滤各种非油性颗粒物污染物
- 卡口式兼容性，可与世达 FH0701 的半面具配合使用
- Exceptional 99.97% filter efficiency meets GB-series test criteria
- Versatile protection against many non-oil based particulate contaminants
- Bayonet compatibility allows use with SATA half mask designs



FH0709

KP100 防有机异味及油性颗粒物滤棉

Particulate Filter KP100

- 高达 99.97% 的过滤效率达到了 GB2626-2019 的 KP100 系列检测标准
- 充分过滤各种油性与非油性颗粒物污染物
- 卡口式兼容性，可与世达 FH0701 的半面具配合使用
- Exceptional 99.97% filter efficiency meets GB2626-2019 series test criteria
- Versatile protection against many oil and non-oil based particulate contaminants
- Bayonet compatibility allows use with SATA half mask designs



FH0710

双盒尘毒呼吸防护组套

Silicone Reusable Half mask Respirator Set, Organic Vapor

- 专为亚洲人脸型设计，贴合面部，密合性好
- 人性化头带设计，方便与安全帽组合佩戴，方便快捷
- 防尘滤毒自由切换，从容应对复杂工况
- 液态硅质材料，提升舒适性和耐用性
- 底部呼气阀具有排水作用，避免二次污染
- Designed for Asian face shape, it fits the face and has good tightness
- Humanized headband design, convenient and hard hat combination, convenient and fast
- Liquid siliceous material, improving comfort and durability
- Liquid silicon material for comfort and durability
- The bottom breathing valve has the function of drainage to avoid secondary pollution.

手套 Gloves

听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护

- 防机械类伤害
- 防割伤
- 防化学类伤害
- 耐高温及焊接类防护

手部安全小贴士：

手的价值无以伦比，从来没有没有什么比手更有效更灵活的发明。日常生活中，我们非常依赖双手。想一下，缺了一根手指，生活会变成什么样子？手的价值无以伦比，从来没有没有什么比手更有效更灵活的发明。

1. 不要把手放到可能夹到、划伤或者压到的地方
2. 手套是用来保护您自己的，了解工作所需的手套种类，不为作业时没有戴手套而找借口，如“何必麻烦，一会就好了”“放在柜子里了，没有时间去拿”等等，其实这是在自找伤害
3. 几秒钟可以带好的手套，可以保护作业人员避免各种伤害。确认手套大小合适，若太大，则可能会夹住别的物体，若太小，则限制作业的灵活性和血液循环。





如何确认手套的大小？ Size your hand

将手放于图中标尺的位置，读出下方的尺码号码
Please put your hand on the measurement diagram here and size your hand

防护手套尺码对照表
Table of equivalence for gloves sizes

尺码表 (size)					
6	7	8	9	10	11
Chainex (金属网手套)					
XXS	XS	S	M	L	XL
0	1	2	3	4	5





听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

手套 Gloves



(欧洲) 手套抗风险分级 EN420 Risk Categories

- 普通级：提供等级防护，如机械性防护
- 中级：提供特别伤害防护如热、刺穿
- 复杂级：提供防化学侵蚀防护

Category 1. Simple. Simple design gloves offer protection against risks such as superficial cuts or abrasions and are used in general handling packaging and construction work.

Category 2. Intermediate design. Intermediate gloves offer protection against specific hazards such as heat, abrasion and puncture and are EC type tested and marked as detailed below

Category 3. Complex design . Complex design gloves offer protection against chemical hazards with mortal risks and are EC type tested and marked as detailed below 中级和复杂级手套需要下述进一步的测试 EN 420 Standards Category 2 and Category 3 type gloves require further testing against specific hazards as detailed below.



EN407 防火防热性能手套标准：

性能等级	1	2	3	4
A 防火阻燃 (数值第 1 位)： 在火源熄灭并移开后, 材料持续燃烧的时间, 分级 1-4	< 20 秒不需要	< 10 秒< 120 秒	< 3 秒< 25 秒	< 2 秒< 5 秒
B 防接触热 (数值第 2 位)： 100-500 摄氏度之间的热接触, 穿戴手套的人不会有痛感的最高温度 (接触时间最少 15 秒), 分级 1-4	100°C> 15 秒	250°C> 15 秒	350°C> 15 秒	500°C> 15 秒
C 防对流热 (数值第 3 位)： 手套阻止火苗热量传递的持续时间, 分级 1-4	> 4 秒	> 7 秒	> 10 秒	> 18 秒
D 防辐射热 (数值第 4 位)： 导致手套升高到指定温度所需要的时间, 分级 1-4	> 5 秒	> 30 秒	> 90 秒	> 150 秒
E 抗小点熔化金属的溅射 (数值第 5 位)： 导致手套升高到某一温度所需的分量, 分级 1-4	< 5	> 15	> 25	> 35
F 抗大点熔化金属的溅射 (数值第 6 位)： 导致手套损坏所需的分量, 分级 1-4	30 克	60 克	120 克	200 克



防机械风险手套

规定了劳动防护手套的机械性危害防护的技术要求、试验方法、标志标识和使用说明，适用于在机械危害方面的各种防护性手套，也可用来确定手套的防冲击割伤和抗静电特性。

所谓“机械危害”，指的是可能由摩擦、刀割、撕裂和刺穿而造成的危险。说明这一标准的四个基本测试性能即是：

- 耐磨损性 手套材料抗反复摩擦的圈数
- 抗割性 手套材料抗切割物件的圈数
- 抗撕裂性 即撕裂手套材料中预先切开的孔需要多少单位的力
- 耐穿刺性 即用标定的长钉刺穿手套掌面需要多大的力

性能等级	1 级	2 级	3 级	4 级	5 级
A 耐摩擦性 (单位: 圈)	100	500	2000	8000	-
B 抗割性	X	X	X	X	X
C 抗撕裂性 (单位: 牛顿)	10	25	50	75	-
D 耐穿刺性 (单位: 牛顿)	20	60	100	150	-
性能等级	等级A	等级B	等级C	等级D	等级E
E TDM 耐切割性 (N)	2	5	10	15	22
					30



防化手套

阐述的是在持续接触的情况下手套的材料对潜在的非气态化学物质危险具有抗渗透能力，能在 3 种以上化学品中的耐渗透时间大于 30 分钟。

A 甲醇	B 丙酮	C 乙腈	D 二氯甲烷
E 二硫化碳	F 甲苯	G 二乙胺	H 四氢呋喃
I 乙酸乙酯	J 正庚烷	K 40% 氢氧化钠	L 96% 硫酸



低温危险防护

- A 传导寒冷
- B 接触寒冷
- C 透水性 - 等级 1 至少防水 30 分钟

手套 Gloves

听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

防机械类伤害



世达经典绿机型防冲击手套 General Purpose Mechanics Gloves, Green

- 导电，食指拇指可以用触摸屏
- 手背 TPR，有保护减震作用
- 手背网眼布，透气排汗
- 手掌加止滑皮和掌垫，耐磨、止滑、防震
- 包装：12 副 / 袋，6 袋 / 箱

- Conducting electricity. Touch screen can be used for index finger and thumb.
- TPR on the back of the hand, with protective and shock-absorbing effect
- Reticulated cloth on back of hand, breathable and perspiring
- Palm with anti-skid skin and pad, wear-resistant, anti-skid, shock-proof
- Package: 12 pcs/plastic bag, 6 plastic bags/ctn



双层丁腈磨砂掌浸手套 Double Layer Palm Dipped Nitrile Gloves

- 手掌部为双层丁腈磨砂掌浸涂层，并使用灰色优质尼龙线针织
 - 提供优良的透气性及的强悍抓握力。可长时间作业而不感闷热
 - 在潮湿或重油性环境中，可以精确处理带油物体
 - 包装：12 副 / 袋，6 袋 / 箱
- Double nitrile sandy coated, Grey nylon glove core.
 - Breathability and excellent grip
 - Can be used in oil environment
 - Package: 12 pcs/plastic bag, 6 plastic bags/ctn



丁腈磨砂防割掌浸手套 Nitrile Cut Resistant Palm Dipped Gloves

- 手掌部为丁腈磨砂掌浸涂层，并使用全新针织工艺、采用高强度 HPPE、超细钢丝及玻璃纤维编织
 - 提供优良的透气性、抓握性及防割性。全新织法，佩戴舒适耐用。可长时间使用
 - 在潮湿或重油性及容易割伤的工作环境中，可有效避免割伤手部
 - 包装：12 副 / 袋，6 袋 / 箱
- The glove core contain HPPE, glass fibre and steel wire, EN388 4X43D standard
 - Flexibility, Breathability, gripping .
 - Cutted avoid and can be used in oil environment
 - Package: 12 pcs/plastic bag, 6 plastic bags/ctn



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

手套 Gloves



防机械类伤害



复合材料防割手套 Composites Cut Resistant Gloves

- 全新的针织工艺，采用高强度防割氨纶和尼龙包裹钢丝进行针织，达到 EN388-2016 防割等级 4 级 D 标准
- 该产品保证穿戴舒适的同时，能够在穿戴手套时灵活的使用手机屏幕进行触控
- 可进行反复洗涤，降低使用成本
- 可单独使用或作为其他手套的保护衬垫
- 包装：12 副 / 袋，6 袋 / 箱
- The glove core contain kelvar and steel wire, EN388 1X4XD standard
- Can be used mobile screen
- Washing repeatedly, cost reduction
- Can be used as the glove core
- Package:12 pcs/plastic bag, 6 plastic bags/ctn



经济型半皮手套 Heavy Duty Work Gloves

- 掌部采用耐磨抗割牛二层皮，双层皮缝制，增加耐用程度，不掉色
- 摒弃传统夹胶手袖，袖口部位改用厚度合适，经久耐用的牛二层皮
- 舒适吸汗棉质内里
- 背布设计易于手汗挥发
- 适用搬运、铸造、钢铁及机械操作使用
- 此手套有多色，颜色随机发放，整箱为同一种颜色
- 包装：12 副 / 袋，3 袋 / 箱
- Palm part is made of quality cow leather
- Folder plastic cuff improving the protection of wrist
- Comfortable sweat absorbing cotton texture lining
- Suitable for use in carrying, casting, steel & mechanical operation
- This glove has multiple colors and colors are randomly distributed. The whole box is the same color.
- Package:12 pcs/plastic bag, 3 plastic bags/ctn



全皮手套 Mechanics Work Gloves

- 柔软，耐磨，抗油，抗刀割的牛二层薄芯皮材质，高档舒适
- 手背双线松紧带，裹紧手腕。有效防异物落入手套
- 夹胶安全袖口，加强手腕防护
- 舒适吸汗棉质内里
- 适用于搬运、铸造、钢铁及机械操作
- 包装：12 副 / 袋，3 袋 / 箱
- Palm part is made of quality cow leather Double elastic band on back of gloves, tight wrap the wrist.
- Folder plastic cuff improving the protection of wrist
- Comfortable sweat absorbing cotton texture lining
- Suitable for use in carrying, casting, steel & mechanical operation
- Package:12 pcs/plastic bag, 3 plastic bags/ctn

手套 Gloves

听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

防机械类伤害



FS0301



FS0401 7"
FS0402 8"
FS0403 9"



乳胶手套 (掌浸) Palm Dipped Latex Gloves

- 优质灰色棉针织内衬，灵活且舒适
- 手指和掌部布天然乳胶层，防滑性能好
- 耐磨性、耐撕裂和防穿刺性能佳
- 应用于操作粗糙、湿滑和轻微锋利的物件
- 包装：12 副 / 袋，6 袋 / 箱
- Grey polyester knitted liner brings good comfort and dexterity
- Green crinkled latex coating on the finger tips and palm with high anti-slip and grip function
- Good resistance to abrasion, tear and perforation
- Applied for handling of sharp, abrasive or slippery objects
- Package:12 pcs/plastic bag, 6 plastic bags/ctn



FS0701 6"
FS0702 7"
FS0703 8"



PU 手套 (指浸) Finger Dipped PU Gloves

- 优质白色尼龙针织内衬，灵活用于精细工作
- 手指涂天然 PU，防滑性能好
- 耐磨性好
- 包装：12 副 / 袋，6 袋 / 箱
- White Nylon knitted liner brings good comfort and dexterity
- Green crinkled latex coating on the finger tips with high anti-slip and grip function
- Good resistance to abrasion, tear and perforation
- Applied for handling of sharp, abrasive or slippery objects
- Package:12 pcs/plastic bag, 6 plastic bags/ctn



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

手套 Gloves



防机械类伤害

FS0704 7"
FS0705 8"
FS0706 9"SF0001 8"
SF0002 9"SF0711 8"
SF0712 9"SF0718 7"
SF0719 8"
SF0720 9"

PU 手套 (掌浸) Palm Dipped PU Gloves

- 优质白色尼龙针织内衬，灵活用于精细工作
- 手掌涂天然 PU，防滑性能好
- 耐磨性好
- 包装：12 副 / 袋，6 袋 / 箱
- White Nylon knitted liner brings good comfort and dexterity
- Green crinkled latex coating on the palm with high anti-slip and grip function
- Good resistance to abrasion, tear and perforation
- Applied for handling of sharp, abrasive or slippery objects
- Package:12 pcs/plastic bag, 6 plastic bags/ctn

抗静电手套 (大掌浸) ESD Palm Dipped Gloves

- 聚酰胺碳酸纤维材料，可以有效防止静电积聚
- 高等级耐磨 PU 涂层（4 级），舒适与透气性俱佳
- 灵活性好
- 可洗涤
- 包装：12 副 / 袋，6 袋 / 箱
- The lining adopts carbon acid fiber material to produce prevents static electricity accumulation
- Excellent abrasion and tear resistance and breathability
- Flexibility
- Available to be washed
- Package:12 pcs/plastic bag, 6 plastic bags/ctn

PU 掌浸中型抗切割手套 PU Cut Resistant Palm Dipped Gloves

- 优异的防割性能
- 4 级高等级耐磨和抗撕裂性能，舒适与透气性俱佳
- 灵活性好
- 可洗涤
- 包装：12 副 / 袋，6 袋 / 箱
- High level anti-cutting function
- Excellent abrasion and tear resistance and breathability
- Flexibility
- Available to be washed
- Package:12 pcs/plastic bag, 6 plastic bags/ctn

PU 手套 (灰色掌浸) Palm Dipped PU Gloves

- 灰色尼龙编织手套，
- 在手掌和手指处加有 PU 层，保护产品，舒适与透气性俱佳
- 弹性编织手腕
- 包装：12 副 / 袋，6 袋 / 箱
- White polyamide seamless knitted glove
- Excellent abrasion and tear resistance
- Grey PU coating on the palm and fingertips and breathability
- Elastic Wrist
- Package:12 pcs/plastic bag, 6 plastic bags/ctn

手套 Gloves

听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护

焊接及耐高温手套 / Heat resistance and welding gloves



直指焊接手套

Straight Finger Welding Gloves

- 优质牛皮缝合而成，3级阻燃
- 防火线缝制，耐磨耐火
- 纯棉全尺寸内里，更舒适吸汗
- 直指设计，方便握持物体，大拇指和食指间有附缝层设计，使用寿命更长
- 五个手指头全鱿鱼丝设计，车工优良，能有效保护缝线免受高温的烫伤或焊渣威胁
- 包装：12副/袋，3袋/箱
- Cow leather, Level 3 anti-fire
- Thanks & Best Regards
- Comfortable full size inner sweat absorbing cotton
- Straight thumb design, wearable, long life cycle
- Shredded squid cover line from heat of welding
- Package:12 pcs/plastic bag, 3 plastic bags/ctn

斜指焊接手套

Oblique Finger Welding Gloves

- 优质牛皮制成，3级阻燃
- 三线防火线缝制，三线缝纫更牢固
- 纯棉全尺寸内里，更舒适吸汗
- 斜指设计，手掌和指部皆为双层优质牛皮，耐磨、耐高温能力倍增，寿命持久
- 五个手指头全鱿鱼丝设计，车工优良，能有效保护缝线免受高温的烫伤或焊渣威胁
- 包装：12副/袋，3袋/箱
- Cow leather, Level 3 anti-fire
- Fire line
- Comfortable full size inner sweat absorbing cotton
- Inclined thumb design, wearable, long life cycle
- Shredded squid cover line from heat of welding
- Package:12 pcs/plastic bag, 3 plastic bags/ctn

氩弧焊接手套

Tig Welding Gloves

- 优质羊青皮制成，3级阻燃
- 纯棉全尺寸内里，更舒适吸汗
- 斜指设计，手掌和指部皆为双层优质牛皮，耐磨、耐高温能力倍增，寿命持久
- 五个手指头全鱿鱼丝设计，车工优良，能有效保护缝线免受高温的烫伤或焊渣威胁
- 包装：12副/袋，3袋/箱
- Sheep leather, Level 3 anti-fire
- Comfortable full size inner sweat absorbing cotton
- Inclined thumb design, wearable, long life cycle
- Shredded squid cover line from heat of welding
- Package:12 pcs/plastic bag, 3 plastic bags/ctn

耐高温手套

Heat Resistant Gloves

- 不分左右手，节省使用成本
- 虎口加强编织，更高耐磨性能
- 2级高阻燃性，燃烧时间低于3秒
- 3级可接触热，可接触温度高达350°C高温15秒以上
- 可长期工作于200°C
- 销售单位为：只
- 包装：2只/袋，18袋/箱
- Made of one of most applied anti-heat material
- The enforcement of tiger's mouth position improves the anti-abrasion function.
- 2 level fire-resistance, less 3 seconds for firing
- 3 level contact temperature up to 350 degree
- Package:2 pcs/plastic bag, 18 plastic bags/ctn



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

手套 Gloves



防化手套 / Chemical Resistance Gloves



丁腈植绒里防化手套 Nitrile Chemical Defense Gloves

- 硅胶修饰面，氯化处理
- 适用于石油化工、脱脂、精细化学等行业与有机溶液和酸碱试剂接触环境
- 耐磨耐油性佳
- 包装：12副/袋，6袋/箱
- Unsupported nitrile glove with cotton flock
- Designed for chemical resistance purpose. Fitting for oil, fat and hydrocarbon derivative, paint, vanish and non-kenotic solvents
- Hi abrasion and oil resistance performance
- Package: 12 pcs/plastic bag, 6 plastic bags/ctn



加长型超低温液氮手套 Long Type Ultralow Temperature Resistant Gloves

- 透气防水复合材料，抗低温棉组成
- 优越的热量伤害保护，防水，透气，质轻
- 抵御极限温度 +100°C ~-200°C
- 适合操作液氮及液氨
- 手套长度 38 厘米，有效保护手腕
- 手掌内部钻石纹路，提升抓握能力
- Breathable waterproof composite material. contain temperature resistance cotton
- Resistance water and heat
- Ultimate temperature resistance +100°C ~-200°C
- Suitable for liquid ammonia and liquid nitrogen
- The length is up to 38 cm, effectively protect the wrist
- The palmar contain diamonds lines, enhance the hand grasping



SF0601 S
SF0602 M
SF0603 L

3.5g 经济型一次性丁腈手套 3.5G Disposable Nitrile Gloves

- 丁腈橡胶材质，有效防止蛋白质过敏
- 无粉设计，避免佩戴后玉米粉残留
- 抽纸设计包装，适宜保存及抽取
- 随弃型，环保便捷
- The Nitrile Butadiene Rubber, avoid the protein allergy.
- Powder Free.
- Smoked paper design, convenience for store and keep.
- Disposable.



SF0604 S
SF0605 M
SF0606 L

4.5g 标准型一次性丁腈手套 4.5G Disposable Nitrile Gloves

- 丁腈橡胶材质，有效防止蛋白质过敏
- 无粉设计，避免佩戴后玉米粉残留
- 抽纸设计包装，适宜保存及抽取
- 随弃型，环保便捷
- The Nitrile Butadiene Rubber, avoid the protein allergy.
- Powder Free.
- Smoked paper design, convenience for store and keep.
- Disposable.

手套 Gloves

纱线手套 / Yarn Gloves



ASF0003

冬季款纱线手套 Winter Yarn Gloves



- 毛纺材质提升手部温暖感
- 特有的拉毛设计使佩戴更柔软
- 无涂层，透气性能卓越
- 销售单位为：打（12 副 / 打）
- Woolen material improve the hand feeling of warmth
- The unique design - galling to wear softer
- The unique design - galling to wear softer
- MOQ: 1 dozen /12 a pair of gloves

注：如需订购，请联系当地销售或拨打 400-820-3885



ASF0005

全棉纱线手套 Cotton Yarn Gloves



- 全棉材质舒适耐用，透气性佳
- 无涂层，透气性能卓越
- 销售单位为：打（12 副 / 打）
- The cotton material is comfortable and durable, good air permeability
- No coating, excellent air permeability
- MOQ: 1 dozen /12 a pair of gloves

注：如需订购，请联系当地销售或拨打 400-820-3885



ASF0007

单面点塑手套 PVC Adheres Gloves



- PVC 点塑增加摩擦力
- 防滑，佩戴舒适，灵巧，轻便
- 销售单位为：12 副 / 打，20 打 / 箱
- PVC plastic, increase friction
- The antiskid, wear comfortable, smart, portable
- MOQ: 1 dozen /12 a pair of gloves, 20 boxes/ctn

注：如需订购，请联系当地销售或拨打 400-820-3885



ASF0008

双面点塑手套 Double Sides PVC Adheres Gloves



- PVC 点塑增加摩擦力
- 防滑，佩戴舒适，灵巧，轻便
- 双面不分左右手更加经济，节省成本
- 销售单位为：12 副 / 打，20 打 / 箱
- PVC plastic, increase friction
- The antiskid, wear comfortable, smart, portable
- Double sides PVC plastic is not divided into left and right hand more economical and cost saving.
- MOQ: 1 dozen /12 a pair of gloves, 20 boxes/ctn

注：如需订购，请联系当地销售或拨打 400-820-3885



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

听力
防护呼吸
防护手部
防护头部
防护身体
防护足部
防护

头脸部防护

Head Protection



V顶标准型安全帽
Safety Helmet

- HDPE 材质，轻质，有雨槽
- 两侧 30mm 通用插槽，用于连接面罩和面屏支架或耳罩
- 8 点连接内衬，头部受力均匀
- V 型顶筋设计增强抗冲击力和抗穿刺
- 卷边设计和宽帽沿，遮挡阳光和雨水
- 达到 GB2811-2019 标准产品
- 多种颜色可选
- 包装：20 件 / 箱
- Hi quality HDPE material, flexibility and with rain gutter
- Two slots on both side of the helmet for assembling with face screen and ear cap
- 4points Nylon connection lining, with even stress
- V type top muscle enhance impact resistance and puncture
- Edge curl design and wide to prevent sunshine and rain
- Achieve GB2811-2019 standard
- Multiple colors
- Package:20 pcs/ctn

TF0101W	V顶标准安全帽	白色
TF0101B	V顶标准安全帽	蓝色
TF0101Y	V顶标准安全帽	黄色
TF0101O	V顶标准安全帽	橙色
TF0101R	V顶标准安全帽	红色



V顶 ABS 标准安全帽
Safety Helmet

- ABS 材质，有雨槽
- 两侧 30mm 通用插槽，用于连接面罩和面屏支架或耳罩
- 8 点连接内衬，头部受力均匀
- V 型顶筋设计增强抗冲击力和抗穿刺
- 卷边设计和宽帽沿，遮挡阳光和雨水
- 达到 GB2811-2019 标准产品
- 多种颜色可选
- 包装：20 件 / 箱
- Hi quality ABS material, flexibility and with rain gutter
- Two slots on both side of the helmet for assembling with face screen and ear cap
- 4points Nylon connection lining, with even stress
- V type top muscle enhance impact resistance and puncture
- Edge curl design and wide to prevent sunshine and rain
- Achieve GB2811-2019 standard
- Multiple colors
- Package:20 pcs/ctn

TF0201W	V顶 ABS 标准安全帽	白色
TF0201B	V顶 ABS 标准安全帽	蓝色
TF0201Y	V顶 ABS 标准安全帽	黄色
TF0201O	V顶 ABS 标准安全帽	橙色
TF0201R	V顶 ABS 标准安全帽	红色
TF0202W	V顶 ABS 透气安全帽	白色
TF0202B	V顶 ABS 透气安全帽	蓝色
TF0202Y	V顶 ABS 透气安全帽	黄色
TF0202O	V顶 ABS 透气安全帽	橙色
TF0202R	V顶 ABS 透气安全帽	红色

头脸部防护

Head Protection

听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护



TF0402

轻型防撞帽 (缝制 LOGO)

Bump Cap

- 内置优质 ABS 减震帽壳，防止轻型碰撞
- 四个通风孔提供舒适佩戴
- 款式时尚，富有动感
- 不能代替工业用安全帽
- 包装：20 个 / 箱
- Inner material is hi-quality PE, prevent moderate impact
- 4 ventilating holes providing comfort wear
- Fashion style, full of energetic
- Can't replace safety helmet
- Package: 20 pcs/ctn



TF0401

轻型防撞帽

Bump Cap

- 内置优质 ABS 减震帽壳，防止轻型碰撞
- 四个通风孔提供舒适佩戴
- 款式时尚，富有动感
- 不能代替工业用安全帽
- 包装：20 个 / 箱
- Inner material is hi-quality PE, prevent moderate impact
- 4 ventilating holes providing comfort wear
- Fashion style, full of energetic
- Can't replace safety helmet
- Package: 20 pcs/ctn

防护眼镜的选择

说起防护眼镜，有些人可能会觉得陌生。虽然一些行业由于其危险性而需佩戴防护设备，但是因为种种原因、单位和个人的不重视等而没有按规定做防护。这看似小小的忽视，却可能给从业人员带来终身的伤害，俗话说“眼睛是心灵的窗口”，因此，防护眼镜的重要性不言而喻。

伤害：

不按规定佩戴防护眼镜，十分容易对眼睛造成伤害，严重的可能会导致失明。

A: 如果是异物性眼伤害，例如在碾磨金属、切割非金属或铸铁、使用手工工具或手提电工工具或用气动工具冲刷和修补金属铸件、切割铆钉或螺钉、切割或刮锅炉、碎石头或混凝土等作业时，砂粒、金属碎屑异物会进入眼内或冲击面部。

B: 非电离辐射眼伤害，包括可见强光、紫外线和红外线，发射的光子能量不足以在吸收分子的原子中产生电离，因此称为非电离辐射。工业生产中的电气焊接、氧切割、炉窑、玻璃加工、热轧和铸造等场所，热源能产生强光、紫外线和红外线。

以上两大类，其中又包含了很多小工种，都是易产生眼部伤害的危险工种，从业人员需小心谨慎，佩戴防护设备。



YF0101 (不防雾)
(Not Anti-fog)

YF0102 (防雾) 特有的防雾涂层可以防止镜片起雾
(Anti-fog) with Special Anti-fog coating



亚洲款防冲击眼镜

Impact Safety Glasses

- 符合 GB14866-2006
- 专为亚洲人设计，带有侧翼保护和眉棱保护
- 镜脚末端可加套绳或挂绳，使用时更为方便安全
- 四位调节卡锁设计，轻松调节镜腿长度
- 尼龙镜架，配戴舒适
- 包装：12 副 / 盒，4 盒 / 箱
- Meets GB14866-2006
- Specially designed for Asians with extra protection
- Straps can be added to temple ends for extra protection and convenience
- Adjustable Temple length
- Comfortable Nylon frames
- Package:12 pcs/box, 4 boxes/ctn



YF0103 (不防雾)
(Not Anti-fog)

YF0104 (防雾) 特有的防雾涂层可以防止镜片起雾
(Anti-fog) with Special Anti-fog coating



亚洲款访客眼镜

Safety Glasses

- 符合 GB14866-2006
- 符合亚洲人脸型
- 超宽阔视野，并可内戴矫正眼镜
- 包装：12 副 / 盒，4 盒 / 箱
- Meets GB14866-2006
- Snugly fits Asian faces
- Wide Viewing field; glasses can be worn
- Package:12 pcs/box, 4 boxes/ctn



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

头脸部防护

Head Protection



YF0201 (不防雾)
(Not Anti-fog)
YF0202 (防雾) 特有的防雾涂层可以防止镜片起雾
(Anti-fog) with Special Anti-fog coating



轻便型护目镜

Splash Safety Goggles

- 符合 GB14866-2006
- 镜片采用 PC 材质，防尘、防冲击、防刮擦
- 镜框采用柔韧性强的 PVC（聚乙烯）材质，紧密贴合脸部
- 包装：10 副 / 盒，4 盒 / 箱
- Meets GB14866-2006
- Lenses made of PC material, dust-proof, impact-proof, scratch-proof
- Frames made of flexible PVC, snugly fitting the faces
- Package:10 pcs/box, 4 boxes/ctn



YF0203 (不防雾)
(Not Anti-fog)
YF0204 (防雾) 特有的防雾涂层可以防止镜片起雾
(Anti-fog) with Special Anti-fog coating




全视野护目镜

Impact Safety Goggles

- 符合 GB14866-2006
- 超宽阔视野，180 度全景视角
- 柔软镜内边，宽大可调节头带，柔软鼻垫，使佩戴更舒适，密封性更好
- 超大空间，内可戴矫正眼镜，透气孔可排除温热空气
- 包装：10 副 / 盒，4 盒 / 箱
- Meets GB14866-2006
- 180 degrees Wide viewing field
- Soft temple pads, adjustable strap, soft nose pad, more comfortable and better sealing performance
- Spacious, glasses can be worn, vents for humid and hot air
- Package:10 pcs/box, 4 boxes/ctn



YF0301




世达舒适型防冲击眼镜

Comfortable Impact Safety Glasses

- 环绕式防护镜片结合时尚、舒适、高性能
- 可调整的镜腿长度，使佩戴者能够将眼镜更好贴合到他们的面部轮廓上
- 轻质无边框设计，适合使用者全天舒适佩戴
- 眼镜上下角度可调节
- 一体式侧翼防护镜片
- 柔软舒适鼻梁垫
- 包装：12 件 / 盒，4 盒 / 箱
- Wrap-around protective eyewear combining fashion, fit and function
- Adjustable temple length- enables wearers to fit the eyewear to their facial profile
- Lightweight, frameless design ensures a comfortable and custom fit all day long
- Pantoscopic adjustment- allow lens angle modification
- One piece polycarbonate lens with integrated sideshield
- Features with soft nose bridge for comfort
- Package:12 pcs/box, 4 boxes/ctn



YF0303



世达运动型防冲击眼镜

Sports Impact Safety Glasses

- 带有双曲面透镜的眼镜功能
- 光线穿透双曲面透镜时无光线反射可更好的对焦
- 坚固的聚碳酸酯 (PC) 框架
- 柔软的镜框垫可以适应不同的头部轮廓
- 柔软的鼻托可提供卓越的舒适感，并避免打滑
- 包装：12 件 / 盒，4 盒 / 箱
- Wrap-around protective eyewear combining fashion, fit and function
- Adjustable temple length- enables wearers to fit the eyewear to their facial profile
- Lightweight, frameless design ensures a comfortable and custom fit all day long
- Pantoscopic adjustment- allow lens angle modification
- One piece polycarbonate lens with integrated sideshield
- Features with soft nose bridge for comfort
- Package:12 pcs/box, 4 boxes/ctn

防护服系列

Protective Clothing



听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护



欧洲关于化学防护服的 6 个等级是：

类型	标准	应用说明
类型 1	EN943-1A 气密型防护服	用于最高等级呼吸和皮肤防护，防护液态或气态化学品和固体颗粒
类型 2	EN943-1B 气密型防护服	用于最高级呼吸防护、皮肤防护稍弱，防护液态或者气态化学品和固体颗粒
类型 3	EN466 液密型防护服	用于皮肤防护，防护液态化学品强烈的喷射
类型 4	EN465 液密型防护服	用于皮肤防护，防护液态化学品的喷淋
类型 5	EN13982-1 固体颗粒防护服	用于轻微皮肤防护，仅用于防护固体颗粒
类型 6	EN13034 轻微喷溅防护服	用于轻微皮肤防护，有限次使用，防护轻微化学品的喷溅



编 号	规 格	胸 围	身 高
BF0101	S	82-85	163 / 167
BF0102	M	86-89	168 / 172
BF0103	L	90-93	173 / 177
BF0104	XL	94-97	178 / 182
BF0105	XXL	98-102	182 / 187
BF0106	XXXL	103-107	187 / 190



编 号	规 格	胸 围	身 高
BF0107	S	82-85	163 / 167
BF0108	M	86-89	168 / 172
BF0109	L	90-93	173 / 177
BF0110	XL	94-97	178 / 182
BF0111	XXL	98-102	182 / 187
BF0112	XXXL	103-107	187 / 190

SMS 轻型防尘防化服

Light Duty Coveralls

- PP&PE 双组分材料，抗撕裂强度更强
- 材质柔软且有卓越透气性
- 脚腕、手腕松紧带设计提供良好密闭性
- 出于舒适性考虑，裁剪宽大
- 防护服为连体带风帽设计
- 应用于一般粉尘环境、工业维修、设备保养等工作环境
- 包装：1 件 / 盒，50 盒 / 箱
- PP/PE double material, higher fracture resistance;
- Soft and comfort feeling
- Wrist with sealing line provide higher closeness
- For comfort wearing, the cutting is wider
- Cap and cloth are two-in-one design
- Suitable for dust proof environment
- Package:1 pcs/box, 50 boxes/ctn

透气膜防尘防静电防化服

Microporous Protective Coveral

- PP&PE 双组分材料，抗撕裂强度更强
- 材质柔软且有卓越透气性
- 脚腕、手腕松紧带设计提供良好密闭性
- 符合防护服欧洲标准
- 第五类 (EN13982-1) - 对有害的干燥颗粒起到防护作用
- 第六类 (EN13034) 对化学液体的轻度喷溅起到防护作用
- 达到 EN1149 防静电要求
- 65g 白色四层 PP&PE 符合材料，更高强度
- 材质绵软，穿着舒适
- 肩膀处无缝连接，合体回弹性好
- 包装：1 件 / 盒，50 盒 / 箱
- EN1149 anti-static
- Protect against radioactive particles EN1073-2:2002
- En13982-1 & EN13034 Compliant
- Extraordinary breathability
- Double protective flap
- Package:1 pcs/box, 50 boxes/ctn



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

安全鞋系列

Safety shoes



工业用安全鞋 / Industry Safety Shoes

包装：10 双 / 箱 / 10 pcs/ctn



FF0712 35~46 码

保护足趾（金属包头）、
防穿刺（金属中底）、防静电



FF0714 35~46 码

保护足趾（非金属包头）、
防穿刺（非金属中底）、电绝缘

风行者多功能安全鞋

Multifunctional Safety Shoes

- 优质反毛牛皮拼接尼龙网布，舒适透气，柔韧耐磨
- 双密度 PU 材质注塑工艺大底，上层柔软缓震，下层防滑耐磨
- 鞋垫采用立体结构高丽棉材质，舒适和吸湿性能优异
- 国标三防功能，轻松应对复杂工况
- 时尚休闲款式，更符合年轻工作者审美
- High quality cowsuede with nylon mesh, comfortable and breathable, flexible and wear-resistant
- Double density PU material injection molding process outsole, the upper layer is soft and shock resistant, the lower layer is anti-slip and wear-resistant
- The insole is made of solid structure koryo cotton, with excellent comfort and moisture absorption
- GB standard three defense function, easy to deal with complex working conditions
- Fashionable style is more in line with young workers' aesthetic.



FF0521 36~46 码

保护足趾（金属包头）、防刺穿（非金属中底）

飓风运动安全鞋

Anti-Impact Anti-Puncture Safety Shoes

- 零闷热三季鞋概念，拒绝闷重臭。
- 可有效防止碎石掉入鞋内的透孔网布，具有通风透气性能，使足部始终干爽舒适。
- 融入鞋身结构的安全反光设计，有效增强户外活动的安全性。
- 大锯齿橡胶外底具有出色的抓地性能，即使面对油污地面或碎石聚集处，仍能保持良好的灵敏性。
- 运动户外鞋框架，下班后直接穿去夜跑吧。
- Hollow design sports safety shoes with excellent air permeability.
- It can effectively prevent the broken stone from falling into the mesh cloth in the shoe, and has the function of ventilation, making the foot always dry and comfortable.
- The safety reflective design integrated into the shoe body structure can effectively enhance the safety of outdoor activities.
- The large serrated rubber outsole provides excellent ground handling and provides excellent sensitivity to oily surfaces and aggregates



FF0603 35~46 码

保护足趾（非金属包头）、电绝缘

疾风轻量安全鞋

Anti-Impact Insulated Safety Shoes

- Flyknit 面料贴合足部自然形状，实现犹如袜子般贴合的舒适感受。世达绿以双色飞线的方式巧妙融入面料中。
- 强化缓震的橡胶发泡大底，在提供强抓地力的同时给到你的是轻量柔软的足底感受。
- 一脚蹬懒人鞋结构，后跟附加提耳，怎么穿都好穿。
- 时尚轻运动款式，可搭配休闲运动装穿着。自由切换上下班模式。
- Flyknit fabric fits the natural shape of the foot to achieve the comfortable feeling of fitting like socks. Subtly using SATA green and black.
- The rubber foamed outsole provides the strongest grip while giving you a light and soft feel to the sole.
- Structure of slip-on shoes with ribbon easy to put on and off.
- Fashion light sports style, which can be worn with casual sportswear.

安全鞋系列

Safety shoes

听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护



FF0811 36~46 码

保护足趾（金属包头）、防刺穿（非金属中底）

FF0815 36~46 码

保护足趾（金属包头）、防刺穿（非金属中底）、

防静电

乘风商务安全鞋

Anti-Impact Anti-Puncture Safety Shoes

- 采用优质纳帕牛皮，手感柔软细腻，透气轻盈富有光泽。
 - 精致商务休闲鞋款式，自由游刃于办公室与车间之间。
 - 国标多功能防护，实力更胜颜值。
 - 德士玛工艺一体注塑双密度 PU 鞋底，无需胶浆和缝线，精准杜绝瑕疵。
-
- It is made of high-quality cow leather, featuring excellent tear resistance and ductility.
 - Exquisite style of business casual shoes can be worn in offices and workshops.
 - Multi-functional safety shoes, strength and appearance coexist.
 - Dual-density PU sole by injection moulding with DESMA technology, with excellent quality and less defects .



FF0706 35~46 码

保护足趾（金属包头）

FF0704 35~46 码

保护足趾（非金属包头）、防刺穿（非金属中底）、

电绝缘

驭风防滑安全鞋


Anti-Impact Anti-Slip Safety Shoes

- 远高于 SRC 级防滑性能，无惧油污，驭风而行
- 轻量化材质运用，轻松应对复杂工况
- 遵循人体工学，符合国人脚型特征，穿着更舒适
- 世达家族化外观设计，时尚与安全亦可兼得
- Above the SRC anti-skid grade, it can walk freely on the oily ground.
- Lightweight materials, easier to use in complex working environments.
- Ergonomic design, conform to Chinese foot shape characteristics, wear more comfortable.
- SATA element style design, fashion and safety can be both.

世达典雅黑防砸运动安全鞋

Anti-Impact Safety Shoes

- 世达运动款安全鞋为轻量化设计，在保护足趾的同时有效的提升了安全鞋的轻便性
- 鞋头为高强度防砸包头，在 15KN 的静压下或在 (200±4) J 的冲击能量冲击后，能有效保护足趾免受伤害
- 鞋帮为尼龙网布结构，有效提升安全鞋的透气性及轻便性
- 鞋底为 EVA 结合优质橡胶大底，在保证轻量化的同时，提升鞋底的耐磨度；具有耐磨、耐折、耐弱酸碱、轻便等优点
- 内里材料为三明治透气里布，透气性佳，提升穿着舒适度
- Design for lightweight, effectively promote the safety shoes' portability.
- Steel toe type, accord with GB 21148-2007 standard.
- Nylon mesh overlay make the shoes comfortable and permeability.
- The shoes sole is made of the EVA insole and the rubber outsole, helps the shoes extra cushioning and abradability.



FF0301 35~46 码

保护足趾（金属包头）



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护


安全鞋系列

Safety shoes



工业用安全鞋 / Industry Safety Shoes

包装：10 双 / 箱 / 10 pcs/ctn



FF0301A 35~46 码
保护足趾 (金属包头)

世达经典绿防砸运动安全鞋 Anti-Impact Safety Shoes

- 世达运动款安全鞋为轻量化设计，在保护足趾的同时有效的提升了安全鞋的轻便性
- 鞋头为高强度防砸包头，在 15KN 的静压下或在 (200±4) J 的冲击能量冲击后，能有效保护足趾免受伤害
- 鞋帮为尼龙网布结构，有效提升安全鞋的透气性及轻便性
- 鞋底为 EVA 结合优质橡胶大底，在保证轻量化的同时，提升鞋底的耐磨度；具有耐磨、耐折、耐弱酸碱、轻便等优点
- 内里材料为三明治透气里布，透气性佳，提升穿着舒适度
- Design for lightweight, effectively promote the safety shoes' portability.
- Steel toe type, accord with GB 21148-2007 standard.
- Nylon mesh overlay make the shoes comfortable and permeability.
- The shoes sole is made of the EVA insole and the rubber outsole, helps the shoes extra cushioning and abrasability.



FF0001 34~48 码
保护足趾 (金属包头)、防刺穿 (金属中底)

FF0002 35~46 码
保护足趾 (金属包头)、防静电

FF0003 34~48 码
保护足趾 (非金属包头)、电绝缘 (6kV)

基本款安全鞋 (黑) Anti-Impact Anti-Puncture Safety Shoes

- 全粒面高品质牛皮，厚度 1.8mm，坚固耐磨
- 双密度 PU/PU 一次成型鞋底，大底致密耐磨，中底柔软舒适
- 内衬优质网布，柔软护脚，透气性好
- 加宽包头设计，有效减少夹脚现象
- 鞋底防滑沟槽，光滑地面提供优秀防护功能
- 安全鞋不宜在太阳下暴晒，在通风处阴干即可
- 产品忌雨浸、水洗、爆晒、火烤。每次使用后，可用干布擦拭污迹，如需保证光亮请使用标准鞋油制品

适用环境：不宜在酸碱环境和长时间浸水环境使用

- Full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- Double injected density PU outsole, the bottom layer is with high density providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- two breather holes
- Excellent sandwich fabric interlining, protect foot (6kV)
- Non-metal head protection as well as non-metal shoestring hole providing better insulation performance
- Comply with China GB and LA standard



FF0101A 35~46 码 耐热≥ 200°C
保护足趾 (金属包头)、防刺穿 (金属中底)

FF0102A 35~46 码 耐热≥ 200°C
保护足趾 (金属包头)、防静电

FF0103A 35~46 码 耐热≥ 200°C
保护足趾 (非金属包头)、电绝缘 (6kV)

标准款安全鞋 (黑) Anti-Impact Anti-Puncture Safety Shoes

- 全粒面高品质牛皮，厚度 1.8mm，坚固耐磨
- 橡胶大底，耐热性能优良。耐磨，耐油，耐酸碱
- 三明治网布鞋身，舒适轻便
- 绝缘鞋采用非金属刚性包头，绝缘性能佳而且更为轻便
- 加宽包头设计，有效减少夹脚现象
- 安全鞋不宜在太阳下暴晒，在通风处阴干即可
- 产品忌雨浸、水洗、爆晒、火烤。每次使用后，可用干布擦拭污迹，如需保证光亮请使用标准鞋油制品

适用环境：不宜在强酸强碱环境和长时间浸水环境使用

适用行业：化学，食品，电子，机械制造，锻造，钢铁，冶炼，建筑，汽车制造等各类行业，尤其是高温与酸碱物质的恶劣环境

- Full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- High quality bottom providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Excellent sandwich fabric interlining, protect foot (6kV)
- Non-metal head protection as well as non-metal shoestring hole providing better insulation performance
- Comply with China GB and LA standard

安全鞋系列

Safety shoes

听力防护

呼吸防护

手部防护

头部防护

身体防护

足部防护

工业用安全鞋 / Industry Safety Shoes

包装：10 双 / 箱 / 10 pcs/ctn



FF0501 35~46 码
保护足趾（金属包头）、防刺穿（金属中底）

FF0502 35~46 码
保护足趾（金属包头）、防静电

FF0503 35~46 码
保护足趾（非金属包头）、电绝缘 (6kV)

休闲款安全鞋 (灰 绿)

Anti-Impact Anti-Puncture Safety Shoes

- 高品质反毛牛皮结合网布，透气性绝佳
- 钢包头坚固耐冲击，15KN 压力，200J 能量冲击下能保护脚趾安全（PU 底的安全鞋不能用于有大量液体的工作场合）
- 双密度 PU/PU 鞋底，轻巧耐磨。鞋底特殊花纹设计，防滑性能优越
- 透气设计，穿着更舒适
- 柔软封闭鞋舌，有效防止液体飞溅
- 安全鞋不宜在太阳下暴晒，在通风处阴干即可
- 产品忌雨浸、水洗、爆晒、火烤。每次使用后，可用干布擦拭污迹，如需保证光亮请使用标准鞋油制品

适用环境：不宜在酸碱环境和长时间浸水环境使用

- Full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- Double injected density PU outsole, the bottom layer is with high density providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Excellent sandwich fabric interlining, protect foot
- Non-metal head protection as well as non-metal shoestring hole providing better insulation performance
- Comply with China GB and LA standard

休闲款安全鞋 (黑 红)

Anti-Impact Anti-Puncture Safety Shoes

- 高品质反毛牛皮，透气，舒适，耐油污
- 双密度 PU/PU 鞋底，轻巧耐磨。鞋底特殊花纹设计，防滑性能优越（PU 底的安全鞋不能用于有大量液体的工作场合）
- 透气孔设计，穿着更舒适
- 聚酰胺衬里，吸湿柔软
- Hi-Poly 鞋垫，防臭，吸汗，透气。可回收，更环保
- 安全鞋不宜在太阳下暴晒，在通风处阴干即可
- 产品忌雨浸、水洗、爆晒、火烤。每次使用后，可用干布擦拭污迹，如需保证光亮请使用标准鞋油制品

适用环境：不宜在酸碱环境和长时间浸水环境使用

- Full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- Double injected density PU outsole, the bottom layer is with high density providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Excellent sandwich fabric interlining, protect foot
- Non-metal head protection as well as non-metal shoestring hole providing better insulation performance

时尚款多功能安全鞋 (多色)

Multifunctional Safety Shoes

- 高品质牛巴皮，鞋面多色搭配、造型美观具备良好的透气性和舒适性
- 高性能 PU/ 橡胶相结合，中底 PU+ 橡胶大底，可耐受酸、碱、潮湿工作环境
- 柔软型全封闭鞋舌，有效防止飞溅液体进入
- 优质网布内衬，柔软舒适保护脚部
- 绝缘鞋采用非金属高刚性包头绝缘性能更胜一筹
- 符合中国国标和安标中心要求
- 安全鞋不宜在太阳下暴晒，在通风处阴干即可
- 产品忌雨浸、水洗、爆晒、火烤。每次使用后，可用干布擦拭污迹，如需保证光亮请使用标准鞋油制品

适用环境：PU 底不宜在酸碱环境和长时间浸水环境使用

橡胶底不宜在强酸强碱环境和长时间浸水环境使用

- Full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- High quality rubber bottom providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Excellent sandwich fabric interlining, protect foot
- Non-metal head protection as well as non-metal shoestring hole providing better insulation performance
- Comply with China GB and LA standard



FF0511 35~46 码
保护足趾（金属包头）、防刺穿（金属中底）

FF0512 35~46 码
保护足趾（金属中底）、防静电

FF0513 35~46 码
保护足趾（非金属包头）、电绝缘 (6kV)



FF0802 35~46 码 耐热 ≥ 200°C
保护足趾（非金属包头）、防刺穿（非金属中底）、
电绝缘 (6kV)



听力防护



呼吸防护



手部防护



头部防护



身体防护



足部防护

安全鞋系列

Safety shoes



工业用安全鞋 / Industry Safety Shoes

包装：10 双 / 箱 / 10 pcs/ctn



AFF0201 35~46 码

保护足趾（非金属包头）、防穿刺（非金属中底）、电绝缘

AFF0202 35~46 码

保护足趾（金属包头）、防穿刺（金属中底）、防静电

定制化中帮安全鞋（基本款）



- 全粒面高品质牛皮，皮革厚度 1.8MM，防水耐磨透气性好
- 双密度聚氨酯（PU）一次成型鞋底，大底致密耐磨，中底柔软舒适配合防滑设计花纹，穿着更舒适安全。
- 柔软型全封闭鞋舌，有效防止液体飞溅进入
- 优质三明治网布内衬，柔软舒适不磨脚

适用环境：不宜在酸碱环境和长时间浸水环境使用

- Full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- Double injected density PU outsole, the bottom layer is with high density providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Excellent sandwich fabric interlining, protect foot

注：如需订购，请联系当地销售或拨打 400-820-3885



AFF0201A 35~46 码

加绒、保护足趾（非金属包头）、防穿刺（非金属中底）、电绝缘

AFF0202A 35~46 码

加绒、保护足趾（金属包头）、防穿刺（金属中底）、防静电

定制化中帮安全鞋（加绒款）



- 全粒面高品质牛皮，皮革厚度 1.8MM，防水耐磨透气性好
- 双密度聚氨酯（PU）一次成型鞋底，大底致密耐磨，中底柔软舒适配合防滑设计花纹，穿着更舒适安全。
- 柔软型全封闭鞋舌，有效防止液体飞溅进入
- 优质三明治网布内衬，柔软舒适不磨脚
- 优质保暖内衬，有效提升安全鞋的保暖性，温暖看得见

适用环境：不宜在酸碱环境和长时间浸水环境使用

- Imported full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- Double injected density PU outsole, the bottom layer is with high density providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Excellent sandwich fabric interlining, protect foot
- Highquality lining, Effectively promote the safety shoes warm-keeping

注：如需订购，请联系当地销售或拨打 400-820-3885



AFF0302 35~46 码

保护足趾（金属包头）、防静电

AFF0303 35~46 码

保护足趾（非金属包头）、电绝缘

定制夏季款安全鞋



- 全粒面高品质牛皮，厚度 1.8MM，坚固耐磨
- 双密度 PU/PU 一次成型鞋底，大底致密耐磨，中底柔软舒适
- 内衬优质网布，柔软护脚，透气性好
- 加宽包头设计，有效减少夹脚现象
- 鞋面多个透气孔设计，更凉爽，更舒适
- Imported full grain buffalo leather upper, thickness 1.8mm, excellent water resistance
- Double injected density PU outsole, the bottom layer is with high density providing higher wearing resistance performance, upper layer is soft bringing comfortable feeling
- D-ring lacing, with a bellowed tongue
- Two breather holes
- More air hole, cooler and more comfortable.

注：如需订购，请联系当地销售或拨打 400-820-3885



世达工具（上海）有限公司

客户服务：上海市碧波路 177 号 3 楼

邮 编：201203

电 话：(86 21) 6061 1919

传 真：(86 21) 6061 1918

www.sata.tools.com

BH_SS_20201118A



关注
世达
微信